



Government of Maharashtra
State Common Entrance Test Cell
305, Government Polytechnic Building, Kherwadi,
Ali Yavar Jung Marg, Bandra, Mumbai – 400 051.

Telephone : 022 – 2647 6034

Website : www.mahacet.org

Fax : 022 – 2647 6034

Email : maharashtra.cetcell@gmail.com

No. StateCetCell/MHTCET18/Notification No. 701

Date: 01st June, 2018

NOTIFICATION

MHT CET 2018

The Common Entrance Test MHT CET 2018 was conducted on Thursday, 10th May, 2018 by Competent Authority & Commissioner, State CET Cell, Mumbai appointed by Government of Maharashtra.

The queries/ objections/ doubts regarding the questions and the provisional key were invited from the candidates in 25 ~ 27th May 2018. The subject experts have opined that three (03) questions (two from Mathematics and one from Chemistry) in the question papers of the aforesaid examination are defective. The Competent Authority, on the basis of the opinion and advice of the respective subject expert has taken a decision to make these three (03) questions "non-evaluative / invalid". The two questions of mathematics carried two marks each for a correct answer while the one question of Chemistry carried one mark for a correct answer. Therefore instead of reducing the maximum number of marks from 200 to 195, the Competent Authority has decided to allot marks each for these defective MCQ to all candidates who appeared in this examination, thus keeping maximum marks as 200; unchanged. The details of "Non-evaluative/ Invalid" MCQ are shown in the **Table No. - 1** at respective Sr. No. in each version.

Table No. – 1 – Version-wise Sr. No. of Non-evaluative/ Invalid Questions

Sr. No.	Subject	Sr. No. in Version 11	Sr. No. in Version 22	Sr. No. in Version 33	Sr. No. in Version 44
1	Chemistry	57	67	87	97
2	Mathematics	07	02	42	12
3	Mathematics	49	24	4	39

For the question from Biology with question number 58 of version 11 (question number 73 of version 22, question number 88 of version 33 and question number 63 of version 44) **option B is the correct answer** instead of option C as stated in provisional key.

It is expressly clarified that all other "Model-Answers" provided by all the subject experts and the answers provided by the Original setters/Moderators appointed by this Competent Authority have fully matched with each other and hence taken as correct and "evaluative".

Sd/-

(Anand Rayate) IAS

Commissioner

State CET Cell, Maharashtra State, Mumbai